

# DECLARATION OF CONFORMITY

(EC-Declaration of conformity in accordance with ZA.2.3 ÖN EN 13168)

**Nr. EC-02-Theralith\_BM-W\_50-Rev.A**

We hereby certify that the building material

**Woodwool – Thermal Insulation Board „Theralith BM-W“**

produced in the plant No. 02

complies with the European product specification ÖN EN 13168

**Designation code according to ÖN EN 13168:**

**Nominal thickness : 50 mm**

WW - EN 13168 – L2 – W1- T2 -S3 - P2 - CS(10)150 - CI3

**Nominal value of thermal conductivity:**  $\lambda_D = 0,100$  W/mK

**Fire classification of building materials according ÖN EN 13501-1:** B-s1,d0

**Certification body:**

Forschungsinstitut für Wärmeschutz e.V. München  
Lochhamer Schlag 4  
D-82166 Gräfelfing  
Refernce number: 0751


**EC-certificate of conformity with number:** K1 - 0751 - CPD - 209.0-02-02/12

**Particular terms for the use of the product.:**

Technical informations refer to the condition of delivery. Additional painting, coating etc. can influence the product attributes.

Heradesign Decken Division

Ferndorf, im Oktober 2012



**KNAUT INSULATION**  
Knauf Insulation GmbH  
A 9702 Ferndorf  
Tel. +43 42 45 2001-0 • Fax +43 42 45 2001-3499  
www.knaufinsulation.com